



2024 PRESSURE WASHER CATALOG



PRESSURE WASHERS

ELECTRIC PRESSURE WASHERS

SPYDER®MINI™

SPY1500VC	8
SPY1700VC	9
SPY1900VC	10

SPYDER®PULSE™

SPY2030XC	11
SPY2050XC	12
SPY2100XC	13

SPYDER®PRO

SPY2300XPC	14
SPY2700XPC	15

ACCESSORIES

CLEANING TOOLS

18

SURFACE CLEANERS

19

PWXA027	19
PWXA088	19

BRUSHES

20

PWXA075	20
PWXA082	20

FOAM CANNONS

21

PWXA035	21
PWXA076	21
PWXA077	22
PWXA107	22
PWXA144	23

HIGH PRESSURE GUNS

26

PWXA002	26
PWXA003	26
PWXA008	27
PWXA086	27

LANCES

28

PWXA004	28
PWXA005	28
PWXA012	29
PWXA023	29
PWXA038	30
PWXA142	30

HOSES

32

PWXA013-B	32
PWXA028	32
PWXA029	33
PWXA030	33
PWXA115-B	34
PWXA155	34

ELECTRIC-SPECIFIC NOZZLES

38

PWXA021	39
PWXA022	39
PWXA032	40

GAS-SPECIFIC NOZZLES

41

PWXA017	41
PWXA018	41
PWXA019	41
PWXA025	42
PWXA026	42

ADAPTORS & COUPLERS

44

PWXA001	44
PWXA031	44
PWXA033	45
PWXA052	45
PWXA053	46
PWXA054	46
PWXA055	47

DETERGENTS

48

PWXA116	48
PWXA117	48
PWXA118	49

SPYDER[®]

ELECTRIC PRESSURE WASHERS



NEW SERIES

SPYDER[®] MINI[™]

SPECIFICATIONS

- Powerplay Universal 120V/60HZ/13A Motor
- Maximum Pressure: 1500PSI
- Maximum Water Flow: 1.2GPM
- Pro Style Gun with QC Fittings
- ADAPTIVEWASH[®] Spray Wand
- 15' **FLEXWASH[®]** Hose with QC Fittings
- 35' Power-Cord
- Total Stop System (TSS)
- 500 ml High Pressure Foam Cannon
- CSA Approved

DIMENSIONS

- | | | |
|------------------|-------|--------|
| • Unit Weight | 15.95 | Pounds |
| • Unit Length | 12.5 | Inches |
| • Unit Width | 11.5 | Inches |
| • Unit Height | 20.25 | Inches |
| • Package Weight | 17.8 | Pounds |
| • Package Length | 12 | Inches |
| • Package Width | 11.25 | Inches |
| • Package Height | 18 | Inches |


SPYM1500VC 1500PSI 1.2GPM



Patent Pending



HIGH PRESSURE
FOAM CANNON



120V CARBON
BRUSH MOTOR



360° WHEEL ROTATION FOR
EASY MANEUVERABILITY

FLEXWASH[®]
15' FLEXWASH[®] HOSE



LOW CENTER OF GRAVITY
TO AVOID MACHINE TIP OVER

SPYDER[®] MINI[™]

SPECIFICATIONS

- Powerplay Universal 120V/60HZ/12A Motor
- Maximum Pressure: 1700PSI
- Maximum Water Flow: 1.2GPM
- Pro Style Gun with QC Fittings
- ADAPTIVEWASH[®] Spray Wand
- 15' **FLEXWASH[®]** Hose with QC Fittings
- 35' Power-Cord
- Total Stop System (TSS)
- 500 ml High Pressure Foam Cannon
- CSA Approved

DIMENSIONS

- | | | |
|------------------|-------|--------|
| • Unit Weight | 17 | Pounds |
| • Unit Length | 12.5 | Inches |
| • Unit Width | 11.5 | Inches |
| • Unit Height | 20.25 | Inches |
| • Package Weight | 19 | Pounds |
| • Package Length | 12 | Inches |
| • Package Width | 11.25 | Inches |
| • Package Height | 18 | Inches |


SPYM1700VC 1700PSI 1.2GPM



Patent Pending



HIGH PRESSURE
FOAM CANNON



120V CARBON
BRUSH MOTOR



360° WHEEL ROTATION FOR
EASY MANEUVERABILITY

FLEXWASH[®]
15' FLEXWASH[®] HOSE



LOW CENTER OF GRAVITY
TO AVOID MACHINE TIP OVER

SPYDER[®] MINI[™]

SPECIFICATIONS

- Powerplay Universal 120V/60HZ/13A Motor
- Maximum Pressure: 1900PSI
- Maximum Water Flow: 1.2GPM
- Pro Style Gun with M22 Fittings
- ADAPTIVEWASH[®] Spray Wand
- 15' **FLEXWASH**[™] Hose with M22 Fittings
- 4 Pro Style Nozzles (0°, 15°, 25°, 40°) & Turbo Nozzle
- 35' Power-Cord
- Total Stop System (TSS)
- 500 ml High Pressure Foam Cannon
- CSA Approved

DIMENSIONS

- | | | |
|------------------|-------|--------|
| • Unit Weight | 19 | Pounds |
| • Unit Length | 12.5 | Inches |
| • Unit Width | 11.5 | Inches |
| • Unit Height | 20.25 | Inches |
| • Package Weight | 23.25 | Pounds |
| • Package Length | 12 | Inches |
| • Package Width | 11.25 | Inches |
| • Package Height | 18 | Inches |

SPYM1900VC 1900PSI 1.2GPM



Patent Pending



SPYDER[®] PULSE[™]

SPECIFICATIONS

- Powerplay Universal 120V/60HZ/13A Motor
- Maximum Pressure: 2030PSI
- Maximum Water Flow: 1.5GPM
- Push Start Button
- Steel Lance with 4 Pro Style Nozzles (0°, 15°, 25°, 40°) & Turbo Nozzle
- Pro Style Gun with M22 Fitting
- 15' **FLEXWASH^{PRO}** Hose with M22 Fittings
- 35' Power-Cord
- 1000 ml High Pressure Foam Cannon
- Total Stop System (TSS)
- CSA Approved

DIMENSIONS

- | | | |
|------------------|-------|--------|
| • Unit Weight | 19.8 | Pounds |
| • Unit Length | 13.5 | Inches |
| • Unit Width | 13 | Inches |
| • Unit Height | 19.25 | Inches |
| • Package Weight | 24.10 | Pounds |
| • Package Length | 11 | Inches |
| • Package Width | 12.25 | Inches |
| • Package Height | 20 | Inches |

SPY2030XC 2030PSI 1.5GPM



SPYDER PULSE™

SPECIFICATIONS

- Powerplay Universal 120V/60HZ/13A Motor
- Maximum Pressure: 2050PSI
- Maximum Water Flow: 1.5GPM
- Push Start Button
- Steel Lance with 4 Pro Style Nozzles (0°,15°,25°,40°) & Turbo Nozzle
- Pro Style Gun with M22 Fitting
- 25' **FLEXWASH PRO** Hose with M22 Fittings
- 35' Power-Cord
- 1000 ml High Pressure Foam Cannon
- Total Stop System (TSS)
- CSA Approved

DIMENSIONS

• Unit Weight	19.8	Pounds
• Unit Length	13.5	Inches
• Unit Width	13	Inches
• Unit Height	19.25	Inches
• Package Weight	24.10	Pounds
• Package Length	11	Inches
• Package Width	12.25	Inches
• Package Height	20	Inches

SPY2050XC 2050PSI 1.5GPM



SPYDER PULSE™

SPECIFICATIONS

- Powerplay Universal 120V/60HZ/13A Motor
- Maximum Pressure: 2100PSI
- Maximum Water Flow: 1.5GPM
- Push Start Button
- Steel Lance with 4 Pro Style Nozzles (0°,15°,25°,40°) & Turbo Nozzle
- Pro Style Gun with M22 Fitting
- 25' **FLEXWASH PRO** Steel Braided Hose with M22 Fittings
- 35' Power-Cord
- 1000 ml High Pressure Foam Cannon
- Total Stop System (TSS)
- CSA Approved

DIMENSIONS

• Unit Weight	21.6	Pounds
• Unit Length	13.5	Inches
• Unit Width	13	Inches
• Unit Height	19.25	Inches
• Package Weight	25.9	Pounds
• Package Length	11	Inches
• Package Width	12.25	Inches
• Package Height	20	Inches

SPY2100XC 2100PSI 1.5GPM



SPYDER[®]PRO[™]

SPECIFICATIONS

- Powerplay Induction Motor
- Maximum Pressure: 2300PSI
- Maximum Water Flow: 1.4GPM
- Push Start Button
- Steel Lance with 4 Pro Style Nozzles (0°,15°,25°,40°) & Turbo Nozzle
- Pro Style Gun with M22 Fitting
- 25' **FLEXWASH[®]PRO** Hose with M22 Fittings
- 35' Power-Cord
- 1000 ml High Pressure Foam Cannon
- Total Stop System (TSS)
- CSA Approved

DIMENSIONS

- | | | |
|------------------|-------|--------|
| • Unit Weight | 40.08 | Pounds |
| • Unit Length | 17 | Inches |
| • Unit Width | 16.2 | Inches |
| • Unit Height | 22.25 | Inches |
| • Package Weight | 44.09 | Pounds |
| • Package Length | 15.4 | Inches |
| • Package Width | 15 | Inches |
| • Package Height | 19.75 | Inches |

SPY2300XPC 2300PSI 1.4GPM



Patent Pending



SPYDER[®]PRO[™]

SPECIFICATIONS

- Powerplay Induction Motor
- Maximum Pressure: 2700PSI
- Maximum Water Flow: 1.3GPM
- Push Start Button
- Steel Lance with 4 Pro Style Nozzles (0°,15°,25°,40°) & Turbo Nozzle
- Pro Style Gun with M22 Fitting
- 25' **FLEXWASH[®]PRO** Steel Braided Hose with M22 Fittings
- 35' Power-Cord
- 1000 ml High Pressure Foam Cannon
- Total Stop System (TSS)
- CSA Approved

DIMENSIONS

- | | | |
|------------------|-------|--------|
| • Unit Weight | 41.88 | Pounds |
| • Unit Length | 17 | Inches |
| • Unit Width | 16.2 | Inches |
| • Unit Height | 22.25 | Inches |
| • Package Weight | 48.5 | Pounds |
| • Package Length | 15.4 | Inches |
| • Package Width | 15 | Inches |
| • Package Height | 19.75 | Inches |

SPY2700XPC 2700PSI 1.3GPM



Patent Pending





ACCESSORIES

CLEANING TOOLS

	PATIO & GARAGE FLOOR	FENCE & SIDING	PAINT PREPARATION	LIGHT VEHICLE WASH	HEAVY VEHICLE WASH
12-INCH SURFACE CLEANER (PWXA027)	.		.		
11-INCH SURFACE CLEANER (PWXA088)	.	.	.		
SOFT BRISTLE FIXED BRUSH (PWXA075)
GEAR DRIVEN ROTARY BRUSH (PWXA082)	
25OZ FOAM CANNON BOTTLE WITH BAYONET FITTING (PWXA076)
25OZ FOAM CANNON BOTTLE WITH QC FITTING (PWXA077)
34OZ BOTTLE WITH QC FITTING (PWXA035)
SPRAYGLIDE® PROSUPPORT™ (PWXA087)	.		.		
34OZ BOTTLE WITH QC FITTING (PWXA144)

SURFACE CLEANERS

Powerplay Surface Cleaners clean flat surfaces quickly, easily, and evenly. Prevents cleaning stripes and increases your cleaning time by up to 50% over a regular lance and nozzle.

12-INCH SURFACE CLEANER

SPECIFICATIONS

- Max Pressure: 4000 PSI
- Max Flow: 8.0 GPM
- Rotary Head Max Temp: 180° F
- Inlet: 1/4-inch QC plug
- 2 Arm design with (2) # 2.0 @ 25° 1/4-inch NPT nozzles

DIMENSIONS

- Unit Weight (Pounds) 3.2
- Product Size (L/W/H) (Inches) 12 x 12 x 6.5

PWXA027

COMPATIBLE WITH GAS PRESSURE WASHERS ONLY



11-INCH SURFACE CLEANER

SPECIFICATIONS

- Max Pressure: 2100 PSI
- Max Flow: 2.5 GPM
- Comes with extension lance and adaptor for universal fitments
- 11-inch diameter with 2 rotary jets

DIMENSIONS

- Unit Weight (Pounds) 2.75
- Product Size (L/W/H) (Inches) 39 x 13 x 5.25

PWXA088

COMPATIBLE WITH ELECTRIC PRESSURE WASHERS ONLY



BRUSHES

SOFT BRISTLE FIXED BRUSH

Fixed Utility Brush is the perfect accessory for hard to reach cleaning areas. Feathered bristles provide a gentle scrubbing action that is safe for any surface, and it can be used with low pressure soap applications. Great for cleaning, patio furniture, tires and more. Attaches easily to your lance with a click fast coupler.

SPECIFICATIONS

- Feathered bristles
- Used with low pressure soap applications
- Attaches easily to your lance with a click fast coupler
- Male bayonet/M22 x 14mm Inlet

DIMENSIONS

- Unit Weight (Pounds) 0.7 lbs
- Product Size (L/W/H) (Inches) 18 x 3.14 x 2.78



PWXA075

COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

GEAR DRIVEN ROTARY BRUSH

Rotary Wash Brush provides effortless cleaning of all smooth surfaces (varnish, glass, plastic, metal). It uses gentle-action rotating bristles. Working at low pressure it can be used to apply cleaning detergent.

SPECIFICATIONS

- Rotary brush saves 60-80% more time than a standard wand alone
- Water stream powers the rotary action
- Improved cleaning performance lifts dirt & grime
- M22 x 14mm Inlet

DIMENSIONS

- Unit Weight (Pounds) 1.15 lbs
- Product Size (L/W/H) (Inches) 18 x 5.50 x 4



PWXA082

COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

FOAM CANNONS

Cover your vehicle in a blizzard of foam quickly with the Powerplay Foam Cannon! This foam lance works with Powerplay pressure washers to produce a thick, clinging foam. Give your vehicle a “touch-free” wash with this high powered foam cannon.

1L (34 OZ.) BOTTLE WITH QC FITTING

SPECIFICATIONS

- 1L (34 oz.) bottle with adjustable pressure
- Max Pressure: 4000PSI
- Max Flow: 4.8 GPM
- 1/4-inch QC Male Inlet
- Max Temperature: 140° F

DIMENSIONS

- Unit Weight (Pounds) 1.1 lbs
- Product Size (L/W/H) (Inches) 6.68 x 3.30 x 11.25



PWXA035

COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

500 ML (17 OZ.) BOTTLE WITH BAYONET FITTING

SPECIFICATIONS

- 500 ml. (17 oz.) bottle with adjustable pressure
- Max Pressure: 3000 PSI
- Max Flow: 2.2 GPM
- Bayonet adaptor
- High pressure foam cannon for SPY1800 Series

DIMENSIONS

- Unit Weight (Pounds) 0.3 lbs
- Product Size (L/W/H) (Inches) 6.25 x 3.25 x 6.59



PWXA076

COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

FOAM CANNONS

Cover your vehicle in a blizzard of foam quickly with the Powerplay Foam Cannon! This foam lance works with Powerplay pressure washers to produce a thick, clinging foam. Give your vehicle a “touch-free” wash with this high powered foam cannon.

500 ML (17 OZ.) BOTTLE WITH M22 ADAPTOR

PWXA077

SPECIFICATIONS

500 ml. (17 oz.) bottle with adjustable pressure
Max Pressure: 3000 PSI
Max Flow: 2.2 GPM
M22 adaptor

DIMENSIONS

- Unit Weight (Pounds) 0.55 lbs
- Product Size (L/W/H) (Inches) 7.65 x 3.25 x 6.59



COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

FOAM CANNONS

1L (34OZ.) BOTTLE WITH QC FITTING

PWXA144

SPECIFICATIONS

1L (34 oz.) bottle with adjustable pressure
Max Pressure: 3000 PSI
Max Flow: 2.2 GPM
Quick connect fitting



COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

500 ML (17 OZ.) BOTTLE WITH QC FITTING

PWXA107

SPECIFICATIONS

High pressure foam cannon with QC fitting
500 ml. (17 oz.) bottle with adjustable pressure
Max Pressure: 3000 PSI
Max Flow: 2.2 GPM
Quick connect fitting

DIMENSIONS

- Unit Weight (Pounds) 0.40 lbs
- Product Size (L/W/H) (Inches) 5.25 x 3.25 x 6.59



COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY



HIGH PRESSURE GUNS

Powerplay trigger guns with 12-inch solid molded extensions. These spray guns with extensions feature a simple screw connection for attaching a lance or lance with nozzle.

TRIGGER GUN WITH M22 FITTING

SPECIFICATIONS

Max Pressure: 3700 PSI
Max Flow: 8.0 GPM
Max Temp: 140° F
Inlet: 22mm x 14mm Male twist connect
Outlet: 22mm x 14mm Female twist connect

DIMENSIONS

- Unit Weight (Pounds) 1.25 lbs
- Product Size (L/W/H) (Inches) 20.5 x 1.75 x 7.5



PWXA002

COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

TRIGGER GUN WITH QC FITTING

SPECIFICATIONS

Max Pressure: 3700 PSI
Max Flow: 8.0 GPM
Max Temperature: 140° F
Inlet: 3/8-inch QC plug inlet
Outlet: 22mm x 14mm Female twist connect

DIMENSIONS

- Unit Weight (Pounds) 1.7 lbs
- Product Size (L/W/H) (Inches) 23 x 1.75 x 9.5



PWXA003

COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

HIGH PRESSURE GUNS

TRIGGER GUN WITH M22 FITTING

SPECIFICATIONS

Max Pressure: 3300 PSI
Max Flow: 8.0 GPM
Max Temperature: 140° F
Inlet: 22mm x 15mm Male twist connect
Outlet: 22mm x 14mm Female twist connect

DIMENSIONS

- Unit Weight (Pounds) 0.95 lbs
- Product Size (L/W/H) (Inches) 18 x 1.8 x 6.25



PWXA008

COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

TRIGGER GUN WITH QC FITTING

SPECIFICATIONS

Max Pressure: 5000 PSI
Max Flow: 10.5 GPM
Max Temperature: 210° F
Inlet: 3/8-inch QC Plug Inlet
Outlet: 22mm x 14mm Female twist connect

DIMENSIONS

- Unit Weight (Pounds) 2.1 lbs
- Product Size (L/W/H) (Inches) 21 x 1.62 x 8



PWXA086

COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

LANCES

24-INCH ZINC PLATED LANCE

Steel Lance for all Gas Pressure Washers with M22 x 14mm and 1/4-inch Female QC.

SPECIFICATIONS

- Max Pressure: 5000 PSI
- Max Flow: 10.5 GPM
- Max Temperature: 302° F
- Inlet: 22mm x 14mm Male fitting
- Outlet: 1/4-inch Female QC

DIMENSIONS

- Unit Weight (Pounds) 0.95 lbs
- Product Size (L/W/H) (Inches) 25.5 x 1.3 x 1.3



PWXA004

COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

18-INCH ZINC PLATED LANCE

Steel Lance for all Gas Pressure Washers with M22 x 14mm and 1/4-inch Female QC.

SPECIFICATIONS

- Max Pressure: 5000 PSI
- Max Flow: 10.5 GPM
- Max Temperature: 302° F
- Inlet: 22mm x 14mm Male Fitting
- Outlet: 1/4-inch Female QC

DIMENSIONS

- Unit Weight (Pounds) 0.75 lbs
- Product Size (L/W/H) (Inches) 19.5 x 1.3 x 1.3



PWXA005

COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

LANCES

18-INCH ZINC PLATED LANCE WITH QC FITTINGS

Steel Lance for all Electric Pressure Washers with M22 x 14mm and 1/4-inch Female QC.

SPECIFICATIONS

- Max Pressure: 2610 PSI
- Max Flow: 10.5 GPM
- Max Temperature: 302° F
- Inlet: 22mm x 14mm
- Outlet: 1/4-inch Female QC

DIMENSIONS

- Unit Weight (Pounds) 0.6 lbs
- Product Size (L/W/H) (Inches) 18 x 1.3 x 1.3



PWXA012

COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

18-INCH ALUMINUM LANCE WITH ADAPTIVEWASH®

Aluminum Lance for all Electric Pressure Washers with M22 x 14mm.

SPECIFICATIONS

- Max Pressure: 2610 PSI
- Max Flow: 10.5 GPM
- Max Temperature: 302° F
- Inlet: 22mm x 14mm

DIMENSIONS

- Unit Weight (Pounds) 0.6 lbs
- Product Size (L/W/H) (Inches) 19 x 1.40 x 1.40



PWXA023

COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

LANCES

12-INCH GUTTER CLEANER LANCE EXTENSION

12-inch Gutter Cleaner, Designed for easy access to clean gutters without having to climb up onto the roof.

SPECIFICATIONS

- 1/4-inch QC plug inlet
- Outlet: 1/4-inch Female QC
- Fits any lance with 1/4-inch QC Fitting

DIMENSIONS

- Unit Weight (Pounds) 0.5 lbs
- Product Size (L/W/H) (Inches) 7.5 x 0.89 x 7.5



PWXA038

COMPATIBLE WITH BOTH GAS & ELECTRIC PRESSURE WASHERS

18-INCH TURBO LANCE WITH M22 FITTING

SPECIFICATIONS

- Max Pressure: 2350 PSI
- Max Flow: 2 GPM
- Male bayonet/M22 x 14mm Inlet

DIMENSIONS

- Unit Weight (Pounds) 0.5 lbs
- Product Size (L/W/H) (Inches) 18.5 x 1.75 x 1.75



PWXA142

COMPATIBLE WITH SPYDER 1500 & 1800 SERIES ELECTRIC PRESSURE WASHERS ONLY



HIGH PRESSURE HOSES

Powerplay Flexwash® hose is composed of innovative compounds to reduce coiling and enhance the overall cleaning experience. Once the hose is pressurized, it remains flat on the ground improving manoeuvrability.

15-FOOT FLEXWASH®PRO HOSE WITH M22 FITTING

PWXA013-B

SPECIFICATIONS

Max Temperature: 104° F
Max Pressure: 2610 PSI
Nylon braided hose with non marking clear jacket
Terminated with Female M22 x 15mm EZ screw on connectors

DIMENSIONS

- Unit Weight (Pounds) 1.35 lbs
- Product Size (L/W/H) (Inches) 180 x 1.25 x 1.25



COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

HIGH PRESSURE HOSES

25-FOOT FLEXWASH®PRO HOSE WITH M22 FITTING

PWXA029

SPECIFICATIONS

Max Temperature: 140° F
Max Pressure: 3200 PSI
Weighs up to 50% less than rubber hose
100% Abrasion Resistant
Terminated with Female M22 x 14mm EZ screw on connectors

DIMENSIONS

- Unit Weight (Pounds) 2.10 lbs
- Product Size (L/W/H) (Inches) 300 x 1.32 x 1.32



COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

25-FOOT FLEXWASH®PRO HOSE WITH QC FITTING

PWXA028

SPECIFICATIONS

Max Temperature: 250° F
Max Pressure: 4000 PSI
100% Abrasion Resistant
Terminated with a Female brass QC for hose to gun installation and 3/8-inch Male Steel Plug for hose to pump installation

DIMENSIONS

- Unit Weight (Pounds) 4.05 lbs
- Product Size (L/W/H) (Inches) 300 x 1.1 x 1.1



COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

50-FOOT FLEXWASH®PRO HOSE WITH QC FITTING

PWXA030

SPECIFICATIONS

Max Temperature: 250° F
Max Pressure: 4500 PSI
100% Abrasion Resistant
Terminated with a Female brass QC for hose to gun installation and 3/8-inch Male Steel Plug for hose to pump installation

DIMENSIONS

- Unit Weight (Pounds) 9.35 lbs
- Product Size (L/W/H) (Inches) 600 x 1.1 x 1.1



COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

HIGH PRESSURE HOSES

Powerplay Flexwash® hose is composed of innovative compounds to reduce coiling and enhance the overall cleaning experience. Once the hose is pressurized, it remains flat on the ground improving manoeuvrability.

25-FOOT FLEXWASH®PRO HOSE WITH M22 FITTING

PWXA115-B

SPECIFICATIONS

- Max Temperature: 104° F
- Max Pressure: 2610 PSI
- Nylon braided hose with non marking black jacket
- Terminated with Female M22 x 15mm EZ screw on connectors

DIMENSIONS

- Unit Weight (Pounds) 1.95 lbs
- Product Size (L/W/H) (Inches) 300 x 1.25 x 1.25



COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

25-FOOT FLEXWASH®PRO HOSE WITH M22 FITTING

PWXA155

SPECIFICATIONS

- Max Temperature: 140° F
- Max Pressure: 2610 PSI
- Steel Braided Hose with non marking Taped Jacket
- Terminated with Female M22 x 15mm EZ screw on connectors

DIMENSIONS

- Unit Weight (Pounds) 3.40 lbs
- Product Size (L/W/H) (Inches) 300 x 1.25 x 1.25



COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY





ELECTRIC-SPECIFIC NOZZLES

High pressure spray nozzles are rated up to 2500 PSI and have a 1/4-inch connector size to suit your needs. With a wide range of performance from ■ 0°, ■ 15°, ■ 25°, ■ 40° + ■ Soap delivering 2.0 GPM, Powerplay Spray tips will deliver the performance you are looking for.

THE BEST NOZZLE TO USE FOR YOUR CLEANING APPLICATIONS

	PATIO & GARAGE FLOOR	FENCE & SIDING	PAINT PREPARATION	LIGHT VEHICLE WASH	HEAVY VEHICLE WASH
0 DEGREE RED HIGH PRESSURE SPRAY NOZZLE	•	•	•		
15 DEGREE YELLOW HIGH PRESSURE SPRAY NOZZLE	•	•	•		•
25 DEGREE GREEN HIGH PRESSURE SPRAY NOZZLE	•	•	•	•	•
40 DEGREE WHITE HIGH PRESSURE SPRAY NOZZLE	•	•	•	•	•
LOW PRESSURE BLACK SOAP NOZZLE	•	•	•	•	•
HIGH PRESSURE TURBO NOZZLE SIZE 2.0 (PWXA032)	•	•			•
HIGH PRESSURE TURBO NOZZLE SIZE 3.3 (PWXA025)	•	•	•		•
HIGH PRESSURE TURBO NOZZLE SIZE 4.0 (PWXA026)	•	•	•		•

ELECTRIC-SPECIFIC NOZZLES

HIGH PRESSURE 4 PACK SPRAY NOZZLE KIT

PWXA021

COMPATIBLE WITH ELECTRIC PRESSURE WASHERS ONLY

SPECIFICATIONS

Max Pressure: 2500 PSI
Max Flow: 2.0 GPM
1/4-inch QC plug inlet

DIMENSIONS

- Unit Weight (Pounds) 0.2 lbs
- Product Size (L/W/H) (Inches) 1.18 x 1.14 x 1.18



HIGH PRESSURE 4 PACK SPRAY NOZZLE KIT

PWXA022

COMPATIBLE WITH ELECTRIC PRESSURE WASHERS ONLY

SPECIFICATIONS

Max Pressure: 2500 PSI
Max Flow: 2.0 GPM
1/4-inch QC plug inlet

DIMENSIONS

- Unit Weight (Pounds) 0.2 lbs
- Product Size (L/W/H) (Inches) 1.18 x 1.14 x 1.18



ELECTRIC-SPECIFIC NOZZLES

Light weight, long lasting Turbo Nozzles. Completely new design engineered for long life and excellent performance. Rated with maximum pressure of 2100 PSI, it features a solid ceramic rotor in the heart of the turbo body and will handle water temperatures up to 194° F. Offers 0° impact with a 25° pattern with nozzle size #4.0, solid ceramic rotor, durable rubber housing and brass body.

HIGH PRESSURE TURBO NOZ- ZLE SIZE 2.0

SPECIFICATIONS

Max Pressure: 2100 PSI
Max Flow: 2.0 GPM
Max Temperature: 194° F
1/4-inch QC plug inlet

DIMENSIONS

- Unit Weight (Pounds) 0.30 lbs
- Product Size (L/W/H) (Inches) 1.42 x 1.42 x 4.14



PWXA032

COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

GAS-SPECIFIC NOZZLES

High pressure spray nozzles are rated up to 4500 PSI and have a 1/4-inch connector size to suit your needs. With a wide range of performance from 0°, 15°, 25°, 40° + Soap delivering up to 4 GPM, Powerplay spray tips will deliver the performance you are looking for. Their triangle design allows for easy spray angle orientation.

HIGH PRESSURE 4 PACK SPRAY NOZZLE KIT

SPECIFICATIONS

Max Pressure: 4500 PSI
Max Flow: 3.0 GPM
1/4-inch QC plug inlet
Triangle design allows for easy spray angle orientation

DIMENSIONS

- Unit Weight (Pounds) 0.2 lbs
- Product Size (L/W/H) (Inches) 1.15 x 0.9 x 1.15



PWXA017

COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

HIGH PRESSURE 5 PACK SPRAY NOZZLE KIT

SPECIFICATIONS

Max Pressure: 4500 PSI
Max Flow: 3.0 GPM & 4.0 GPM
1/4-inch QC plug inlet

DIMENSIONS

- Unit Weight (Pounds) 0.25 lbs
- Product Size (L/W/H) (Inches) 1.15 x 0.9 x 1.15



PWXA018

MAX 3.0 GPM

PWXA019

MAX 4.0 GPM

COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

GAS-SPECIFIC TURBO NOZZLES

Light weight, long lasting Turbo Nozzles. Completely new design engineered for long life and excellent performance. Rated with maximum pressure of 5075 PSI, it features a solid ceramic rotor in the heart of the turbo body and will handle water temperatures up to 194° F. Offers 0° impact with a 25° pattern, solid ceramic rotor, durable rubber housing and brass body.

HIGH PRESSURE TURBO NOZZLE SIZE 3.3

SPECIFICATIONS

Max Pressure: 4000 PSI
Max Flow: 3.5 GPM
Max Temperature: 194° F
1/4-inch QC plug inlet

DIMENSIONS

- Unit Weight (Pounds) 0.55 lbs
- Product Size (L/W/H) (Inches) 1.49 x 1.49 x 4.20



PWXA025

COMPATIBLE WITH GAS PRESSURE WASHERS ONLY

HIGH PRESSURE TURBO NOZZLE SIZE 4.0

SPECIFICATIONS

Max Pressure: 5075 PSI
Max Flow: 4.5 GPM
Max Temperature: 194° F
1/4-inch QC plug inlet

DIMENSIONS

- Unit Weight (Pounds) 0.60 lbs
- Product Size (L/W/H) (Inches) 1.5 x 1.5 x 4.30



PWXA026

COMPATIBLE WITH GAS PRESSURE WASHERS ONLY



ADAPTORS & COUPLERS

Powerplay Quick Couplers are designed for connections of frequently changed or moved fittings.

1/4-INCH QUICK COUPLING PLUG

SPECIFICATIONS

One end connects into 1/4-inch QC
One end screws into 1/4-inch NPT male fitting
Corrosion resistant material designed to last
Max Pressure: 4000 PSI
Max Temperature: 300° F

DIMENSIONS

- Unit Weight (Pounds) 0.05 lbs
- Product Size (L/W/H) (Inches) 0.56 x 0.56 x 1.57



PWXA001

COMPATIBLE WITH BOTH GAS
& ELECTRIC PRESSURE WASHERS

QUICK COUPLING 3/8-INCH MALE

SPECIFICATIONS

Max Pressure: 4000 PSI
3/8-inch Male NPT
Max Temperature: 300° F

DIMENSIONS

- Unit Weight (Pounds) 0.25 lbs
- Product Size (L/W/H) (Inches) 1.12 x 1.12 x 1.75



PWXA031

COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

ADAPTORS & COUPLERS

Powerplay Quick Couplers are designed for connections of frequently changed or moved fittings.

QUICK COUPLING 3/8-INCH FEMALE

SPECIFICATIONS

Max Pressure: 4000 PSI
3/8-inch Female QC
Max Temperature: 300° F

DIMENSIONS

- Unit Weight (Pounds) 0.25 lbs
- Product Size (L/W/H) (Inches) 1.10 x 1.10 x 1.46



PWXA033

COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

QUICK COUPLING 1/4-INCH FEMALE

SPECIFICATIONS

Max Pressure: 4000 PSI
1/4-inch Female QC
Max Temperature: 300° F

DIMENSIONS

- Unit Weight (Pounds) 0.15 lbs
- Product Size (L/W/H) (Inches) 1.16 x 1.16 x 1.30



PWXA052

COMPATIBLE WITH BOTH GAS &
ELECTRIC PRESSURE WASHERS

ADAPTORS & COUPLERS

QUICK COUPLING 1/4-INCH MALE

SPECIFICATIONS

Max Pressure: 4000 PSI
1/4-inch Male QC
Max Temperature: 300° F

DIMENSIONS

- Unit Weight (Pounds) 0.20 lbs
- Product Size (L/W/H) (Inches) 0.95 x 0.95 x 1.73



PWXA053

COMPATIBLE WITH BOTH GAS
& ELECTRIC PRESSURE WASHERS

M22 X 14 TO M22 X 14 HOSE CONNECTOR

Powerplay M22 x 14mm Hose Connector.

SPECIFICATIONS

Used to Add an extension hose to gas pressure washers using M22 pump and gun connections
22mm x 14mm Male twist connect both ends
Max Temperature: 300° F

DIMENSIONS

- Unit Weight (Pounds) 0.10 lbs
- Product Size (L/W/H) (Inches) 0.87 x 0.87 x 1.27



PWXA054

COMPATIBLE WITH GAS
PRESSURE WASHERS ONLY

ADAPTORS & COUPLERS

M22 X 15 TO M22 X 15 HOSE CONNECTOR

Powerplay M22 x 15mm Hose Connector.

SPECIFICATIONS

Used to Add an extension hose to Electric pressure washers using M22 Pump and Gun Connections
22mm x 15mm Male twist connect Both Ends
Max Temperature: 300° F

DIMENSIONS

- Unit Weight (Pounds) 0.10
- Product Size (L/W/H) (Inches) 0.98 x 0.98 x 1.38



PWXA055

COMPATIBLE WITH ELECTRIC
PRESSURE WASHERS ONLY

DETERGENTS

Powerplay's VEHICLE WASH and MULTI PURPOSE CONCENTRATE is formulated for use through pressure washers and hand washing.

VEHICLE WASH DETERGENT

SPECIFICATIONS

1 Gallon bottle with screw on cap
Place detergent suction tube directly into container of VEHICLE WASH or fill the pressure washer's soap tank

DIMENSIONS

- Unit Weight (Pounds) 9.55 lbs
- Product Size (L/W/H) (Inches) 6 x 6 x 12.25



PWXA116

COMPATIBLE WITH BOTH GAS & ELECTRIC PRESSURE WASHERS

MULTI PURPOSE CONCENTRATE

SPECIFICATIONS

1 Gallon bottle with screw on cap
Place detergent suction tube directly into container of VEHICLE WASH or fill the pressure washer's soap tank

DIMENSIONS

- Unit Weight (Pounds) 9.55 lbs
- Product Size (L/W/H) (Inches) 6 x 6 x 12.25



PWXA117

COMPATIBLE WITH BOTH GAS & ELECTRIC PRESSURE WASHERS

DETERGENTS

HEAVY DUTY SNOW FOAM DETERGENT

Powerplay HEAVY DUTY SNOW FOAM is formulated for foam cannons.

SPECIFICATIONS

1 Gallon bottle with screw on cap
Pour HEAVY DUTY SNOW FOAM into foam cannon

DIMENSIONS

- Unit Weight (Pounds) 9.55 lbs
- Product Size (L/W/H) (Inches) 6 x 6 x 12.25



PWXA118

COMPATIBLE WITH BOTH GAS & ELECTRIC PRESSURE WASHERS

SPYDER[®]

ELECTRIC PRESSURE WASHERS



NEW SERIES



WWW.POWERPLAYPRO.COM